


## Sword canopy NGDW 04.15

made of stainless steel AISI 304 or AISI 316  
satin surface finish  
possibility make powder-coated version RAL colour

## novaglas system



### NGDW 04.15.P

sword canopy with plate  
triple glass mount-connection  
glass mount below sword canopy

### NGDW 04.15.N

sword canopy with plate  
triple glass mount-connection  
glass mount above sword canopy




### NGDW 04.15.2.P

sword canopy with plate  
with three double glass mount-connection  
glass mount below sword canopy


### NGDW 04.15.2.N

sword canopy with plate  
with three double glass mount-connection  
glass mount above sword canopy



## novaglas system

GLASS FIXING MANUFACTURER



NOVAGLAS SYSTEM Krystyna Rozmus / 48-356 Bujaków / ul. Biejska 31 / Poland

Made  
in Poland

# Glass canopies fixing

www.ngsystem.eu  
info@ngsystem.eu  
+48 338 108 067  
+48 506 103 426


safety  
reliability  
european quality

## Glass canopies fixing



### NGDS 60

made of stainless steel AISI 304 or AISI 316  
satin surface finish

## novaglas system



an example mount on the wall with insulation




## Sword canopy

### NGDW 04.14

### NGDW 05.14

made of stainless steel AISI 304 or AISI 316  
satin surface finish  
possibility make powder-coated version RAL colour

## novaglas system



### NGDW 04.14.P

sword canopy with plate  
glass mount-connection  
glass mount below sword canopy

### NGDW 04.14.N


sword canopy with plate  
glass mount-connection  
glass mount above sword canopy

### NGDW 04.14.2.P

sword canopy with plate  
double glass mount-connection  
glass mount below sword canopy

### NGDW 04.14.2.N

sword canopy with plate  
double glass mount-connection  
glass mount above sword canopy



### NGDW 05.14.P

sword canopy  
glass mount-connection  
glass mount below sword canopy

### NGDW 05.14.N


sword canopy  
glass mount-connection  
glass mount above sword canopy

### NGDW 05.14.2.P

sword canopy  
double glass mount-connection  
glass mount below sword canopy

### NGDW 05.14.2.N

sword canopy  
double glass mount-connection  
glass mount above sword canopy




## Glass canopies fixing


### NGDS 02

made of stainless steel AISI 304 or AISI 316  
satin surface finish

## novaglas system



NGDS 0231  
tension rod Ø20



NGDS 6032  
wall mount-connection




NGDS 0233  
glass mount-connection



NGDS 0211  
glass connection to tension rod



NGDS 6013  
tension rod Ø12



## Glass canopies fixing

### NGDS 60


made of stainless steel AISI 304 or AISI 316  
satin surface finish

## novaglas system

NGDS 6031  
glass support rear



NGDS 6013  
tension rod Ø12



NGDS 6041  
double wall mount-connection  
with plate (50x220mm)



NGDS 6032  
wall mount-connection



NGDS 6040  
wall mount-connection  
with plate (50x160mm)



NGDS 6021  
glass mount-connection



NGDS 6033  
glass mount-connection




NGDS 6012  
double glass point fitting



NGDR 32 Ø32 x 5,4mm  
NGDR 40 Ø40 x 6,7mm  
NGDR 50 Ø50 x 8,3mm  
distance casing made  
of plastic for insulation



NGDU 06  
joint gab compression profile





## Glass canopies fixing


### NGDS 80

made of stainless steel AISI 304 or AISI 316  
satin surface finish

## novaglas system



an example mount on the wall with insulation



## Glass canopies fixing

### NGDS 80

made of stainless steel AISI 304 or AISI 316  
satin surface finish

## novaglas system

### NGDS 8031

glass support rear



### NGDS 8032

wall mount-connection




### NGDS 8033

glass mount-connection



### NGDS 6013

tension rod Ø12



### NGDS 8040

wall mount -connection  
with plate (50x160mm)




### NGDS 8012

double glass point fitting



### NGDU 06

joint gap compression profile




### NGDS 8041

double wall mount -connection  
with plate (50x220mm)



### NGDS 8021

glass mount-connection



### NGDR 32

Ø32 x 5,4mm

### NGDR 40

Ø40 x 6,7mm

### NGDR 50

Ø50 x 8,3mm

distance casing made  
of plastic for insulation

